

many years of labour expressing himself in such terms as the following: "Mycologia enim referatur ad vilia illa et a plerisque neglecta studia quæ nec pecuniam nec honores suis parant cultoribus; sed eo ipso fidos tantum semper habebit, licet paucos, quibus satis erit in naturæ gremio acquiescendo infinitam rerum creaturarum varietatem et artificium admirari." Sweden however is not singular in this respect. Little encouragement is given at home to works on Cryptogamic botany, especially on Mycology; and in France, we know from the highest authority, that it is regarded as a very inferior branch of botany. Germany alone appears duly to appreciate its value.

Linnæa, ein Journal für die Botanik, &c. Vol. XII. Part 6. Vol. XIII. Parts 1, 2, 1839.

[Continued from vol. ii. p. 465.]

Contributions to the genus *Mentha*; by A. Rochel.—Supplementary observations on *Papaveraceæ* and *Fumariaceæ*; by Prof. Bernhardt.—On the structure of the Flowers of *Balsamineæ*; by Prof. Bernhardt.—Observations on the Hairs in the Air-tubes of *Limnanthemum* and *Villarsia*; by Drs. Grisebach and Hoffmann.—Monstrosities of Plants; by Schlechtendal.

Vol. XIII. No. I.

Anatomical investigation of the reproductive organs of *Riccia glauca*; by Prof. Unger.—On Brazilian Vetches; by Dr. Vogel.—On the Liverworts, collected by Beyrich in North America; by E. Hampe.—Description of Mount Slavnik and its botanical rarities, particularly *Pedicularis Friederici Augusti*; by M. Tommasini.—A very interesting account of a Botanical Excursion to the mountainous regions between Trieste and Fiume; by the Botanists who accompanied Mr. Forbes in his botanical excursion to the mountains of Ternova, of which an account is given in this work, vol. iii. p. 236.—Description of a new *Pancratium* and *Gilia*; by C. Bouchè.—Remarks on American *Laurocerasi*; by the Editor.—To the memory of Chamisso; by Schlechtendal.

Vol. XIII. No. 2.

On *Jungermannia Porella*, Dick; by Prof. Schwägrichen.—On the origin and development of *Botrytis Bassiana* and another parasitic mould; by Prof. Crivelli.—On a curious monstrosity of *Hordeum Himalayense trifurcatum*; by T. Irmisch.—Supplement to the enumeration of Mexican Ferns, collected by Schiede, Ehrenberg, and

many years of labour expressing himself in such terms as the following: "Mycologia enim referatur ad vilia illa et a plerisque neglecta studia quæ nec pecuniam nec honores suis parant cultoribus; sed eo ipso fidos tantum semper habebit, licet paucos, quibus satis erit in naturæ gremio acquiescendo infinitam rerum creaturarum varietatem et artificium admirari." Sweden however is not singular in this respect. Little encouragement is given at home to works on Cryptogamic botany, especially on Mycology; and in France, we know from the highest authority, that it is regarded as a very inferior branch of botany. Germany alone appears duly to appreciate its value.

Linnæa, ein Journal für die Botanik, &c. Vol. XII. Part 6. Vol. XIII. Parts 1, 2, 1839.

[Continued from vol. ii. p. 465.]

Contributions to the genus *Mentha*; by A. Rochel.—Supplementary observations on *Papaveraceæ* and *Fumariaceæ*; by Prof. Bernhardt.—On the structure of the Flowers of *Balsamineæ*; by Prof. Bernhardt.—Observations on the Hairs in the Air-tubes of *Limnanthemum* and *Villarsia*; by Drs. Grisebach and Hoffmann.—Monstrosities of Plants; by Schlechtendal.

Vol. XIII. No. I.

Anatomical investigation of the reproductive organs of *Riccia glauca*; by Prof. Unger.—On Brazilian Vetches; by Dr. Vogel.—On the Liverworts, collected by Beyrich in North America; by E. Hampe.—Description of Mount Slavnik and its botanical rarities, particularly *Pedicularis Friederici Augusti*; by M. Tommasini.—A very interesting account of a Botanical Excursion to the mountainous regions between Trieste and Fiume; by the Botanists who accompanied Mr. Forbes in his botanical excursion to the mountains of Ternova, of which an account is given in this work, vol. iii. p. 236.—Description of a new *Pancratium* and *Gilia*; by C. Bouchè.—Remarks on American *Laurocerasi*; by the Editor.—To the memory of Chamisso; by Schlechtendal.

Vol. XIII. No. 2.

On *Jungermannia Porella*, Dick; by Prof. Schwägrichen.—On the origin and development of *Botrytis Bassiana* and another parasitic mould; by Prof. Crivelli.—On a curious monstrosity of *Hordeum Himalayense trifurcatum*; by T. Irmisch.—Supplement to the enumeration of Mexican Ferns, collected by Schiede, Ehrenberg, and

many years of labour expressing himself in such terms as the following: "Mycologia enim referatur ad vilia illa et a plerisque neglecta studia quæ nec pecuniam nec honores suis parant cultoribus; sed eo ipso fidos tantum semper habebit, licet paucos, quibus satis erit in naturæ gremio acquiescendo infinitam rerum creaturarum varietatem et artificium admirari." Sweden however is not singular in this respect. Little encouragement is given at home to works on Cryptogamic botany, especially on Mycology; and in France, we know from the highest authority, that it is regarded as a very inferior branch of botany. Germany alone appears duly to appreciate its value.

Linnæa, ein Journal für die Botanik, &c. Vol. XII. Part 6. Vol. XIII. Parts 1, 2, 1839.

[Continued from vol. ii. p. 465.]

Contributions to the genus *Mentha*; by A. Rochel.—Supplementary observations on *Papaveraceæ* and *Fumariaceæ*; by Prof. Bernhardt.—On the structure of the Flowers of *Balsamineæ*; by Prof. Bernhardt.—Observations on the Hairs in the Air-tubes of *Limnanthemum* and *Villarsia*; by Drs. Grisebach and Hoffmann.—Monstrosities of Plants; by Schlechtendal.

Vol. XIII. No. I.

Anatomical investigation of the reproductive organs of *Riccia glauca*; by Prof. Unger.—On Brazilian Vetches; by Dr. Vogel.—On the Liverworts, collected by Beyrich in North America; by E. Hampe.—Description of Mount Slavnik and its botanical rarities, particularly *Pedicularis Friederici Augusti*; by M. Tommasini.—A very interesting account of a Botanical Excursion to the mountainous regions between Trieste and Fiume; by the Botanists who accompanied Mr. Forbes in his botanical excursion to the mountains of Ternova, of which an account is given in this work, vol. iii. p. 236.—Description of a new *Pancratium* and *Gilia*; by C. Bouchè.—Remarks on American *Laurocerasi*; by the Editor.—To the memory of Chamisso; by Schlechtendal.

Vol. XIII. No. 2.

On *Jungermannia Porella*, Dick; by Prof. Schwägrichen.—On the origin and development of *Botrytis Bassiana* and another parasitic mould; by Prof. Crivelli.—On a curious monstrosity of *Hordeum Himalayense trifurcatum*; by T. Irmisch.—Supplement to the enumeration of Mexican Ferns, collected by Schiede, Ehrenberg, and

many years of labour expressing himself in such terms as the following: "Mycologia enim referatur ad vilia illa et a plerisque neglecta studia quæ nec pecuniam nec honores suis parant cultoribus; sed eo ipso fidos tantum semper habebit, licet paucos, quibus satis erit in naturæ gremio acquiescendo infinitam rerum creaturarum varietatem et artificium admirari." Sweden however is not singular in this respect. Little encouragement is given at home to works on Cryptogamic botany, especially on Mycology; and in France, we know from the highest authority, that it is regarded as a very inferior branch of botany. Germany alone appears duly to appreciate its value.

Linnæa, ein Journal für die Botanik, &c. Vol. XII. Part 6. Vol. XIII. Parts 1, 2, 1839.

[Continued from vol. ii. p. 465.]

Contributions to the genus *Mentha*; by A. Rochel.—Supplementary observations on *Papaveraceæ* and *Fumariaceæ*; by Prof. Bernhardt.—On the structure of the Flowers of *Balsamineæ*; by Prof. Bernhardt.—Observations on the Hairs in the Air-tubes of *Limnanthemum* and *Villarsia*; by Drs. Grisebach and Hoffmann.—Monstrosities of Plants; by Schlechtendal.

Vol. XIII. No. I.

Anatomical investigation of the reproductive organs of *Riccia glauca*; by Prof. Unger.—On Brazilian Vetches; by Dr. Vogel.—On the Liverworts, collected by Beyrich in North America; by E. Hampe.—Description of Mount Slavnik and its botanical rarities, particularly *Pedicularis Friederici Augusti*; by M. Tommasini.—A very interesting account of a Botanical Excursion to the mountainous regions between Trieste and Fiume; by the Botanists who accompanied Mr. Forbes in his botanical excursion to the mountains of Ternova, of which an account is given in this work, vol. iii. p. 236.—Description of a new *Pancratium* and *Gilia*; by C. Bouchè.—Remarks on American *Laurocerasi*; by the Editor.—To the memory of Chamisso; by Schlechtendal.

Vol. XIII. No. 2.

On *Jungermannia Porella*, Dick; by Prof. Schwägrichen.—On the origin and development of *Botrytis Bassiana* and another parasitic mould; by Prof. Crivelli.—On a curious monstrosity of *Hordeum Himalayense trifurcatum*; by T. Irmisch.—Supplement to the enumeration of Mexican Ferns, collected by Schiede, Ehrenberg, and

others; by Kunze.—On *Conyza chilensis*, Spreng, and *C. diversifolia*, Weinw.; by Weinmann.—Review of a century of Brazilian *Malpighiaceæ*; by Dr. Grisebach.—On Mexican Plants collected by Schiede, &c.; by Schlechtendal.

Plantes Cryptogames de France. Par J. B. H. Q. Desmazières.

Of this valuable work three Numbers, 18—20, have appeared since our last notice. It would take up too much room to give a list of the species, which amount to 150, contained in them; but it may truly be said that with every number the interest increases.

Deutschlands Kryptogamische Giftgewächse, &c. Von Dr. P. Phœbus. Berlin, 1838. 4to.

This is a continuation of Brandt and Ratzeburg's account of the poisonous plants of Germany. With the exception of the Fungi, the cryptogamic plants noticed as possessing deleterious qualities are confined to one or two species of *Equisetum* and *Lycopodium*. The poisonous fungi are admirably described, with remarkably full synonyms, and of many of the more common ones there are excellent figures, with a very correct analysis. There is a very complete account of Ergot beautifully illustrated. We recommend the work very highly to the notice of such as wish to become acquainted with dangerous Fungi, and to the general cryptogamic student. The price is very reasonable.

Fauna Coleopterorum Helvetica, auctore Oswaldo Heer. Pars I. Fasc. I. Turici.—The present first fasciculus contains the *Carabidæ* and the commencement of the *Dytiscidæ*.

We are glad to learn that the Rev. Dr. Pye Smith's Congregational Lecture on the Relation between the Holy Scriptures and some parts of Geological Science is in the press.

PROCEEDINGS OF LEARNED SOCIETIES.

BRITISH ASSOCIATION.

August 26.—J. E. Gray, Esq., V.P., in the Chair.

Secretaries:—Mr. E. Forbes and Mr. Patterson.

The first paper read was by Mr. Lankester, on the Formation of Woody Tissue, the conclusions in which were opposed to the views, supported in this country by Dr. Lindley, of the formation of fibrous tissue by descent from the buds and leaves, and contained some in-

others; by Kunze.—On *Conyza chilensis*, Spreng, and *C. diversifolia*, Weinw.; by Weinmann.—Review of a century of Brazilian *Malpighiaceæ*; by Dr. Grisebach.—On Mexican Plants collected by Schiede, &c.; by Schlechtendal.

Plantes Cryptogames de France. Par J. B. H. Q. Desmazières.

Of this valuable work three Numbers, 18—20, have appeared since our last notice. It would take up too much room to give a list of the species, which amount to 150, contained in them; but it may truly be said that with every number the interest increases.

Deutschlands Kryptogamische Giftgewächse, &c. Von Dr. P. Phœbus. Berlin, 1838. 4to.

This is a continuation of Brandt and Ratzeburg's account of the poisonous plants of Germany. With the exception of the Fungi, the cryptogamic plants noticed as possessing deleterious qualities are confined to one or two species of *Equisetum* and *Lycopodium*. The poisonous fungi are admirably described, with remarkably full synonyms, and of many of the more common ones there are excellent figures, with a very correct analysis. There is a very complete account of Ergot beautifully illustrated. We recommend the work very highly to the notice of such as wish to become acquainted with dangerous Fungi, and to the general cryptogamic student. The price is very reasonable.

Fauna Coleopterorum Helvetica, auctore Oswaldo Heer. Pars I. Fasc. I. Turici.—The present first fasciculus contains the *Carabidæ* and the commencement of the *Dytiscidæ*.

We are glad to learn that the Rev. Dr. Pye Smith's Congregational Lecture on the Relation between the Holy Scriptures and some parts of Geological Science is in the press.

PROCEEDINGS OF LEARNED SOCIETIES.

BRITISH ASSOCIATION.

August 26.—J. E. Gray, Esq., V.P., in the Chair.

Secretaries :—Mr. E. Forbes and Mr. Patterson.

The first paper read was by Mr. Lankester, on the Formation of Woody Tissue, the conclusions in which were opposed to the views, supported in this country by Dr. Lindley, of the formation of fibrous tissue by descent from the buds and leaves, and contained some in-

others; by Kunze.—On *Conyza chilensis*, Spreng, and *C. diversifolia*, Weinw.; by Weinmann.—Review of a century of Brazilian *Malpighiaceæ*; by Dr. Grisebach.—On Mexican Plants collected by Schiede, &c.; by Schlechtendal.

Plantes Cryptogames de France. Par J. B. H. Q. Desmazières.

Of this valuable work three Numbers, 18—20, have appeared since our last notice. It would take up too much room to give a list of the species, which amount to 150, contained in them; but it may truly be said that with every number the interest increases.

Deutschlands Kryptogamische Giftgewächse, &c. Von Dr. P. Phœbus. Berlin, 1838. 4to.

This is a continuation of Brandt and Ratzeburg's account of the poisonous plants of Germany. With the exception of the Fungi, the cryptogamic plants noticed as possessing deleterious qualities are confined to one or two species of *Equisetum* and *Lycopodium*. The poisonous fungi are admirably described, with remarkably full synonyms, and of many of the more common ones there are excellent figures, with a very correct analysis. There is a very complete account of Ergot beautifully illustrated. We recommend the work very highly to the notice of such as wish to become acquainted with dangerous Fungi, and to the general cryptogamic student. The price is very reasonable.

Fauna Coleopterorum Helvetica, auctore Oswaldo Heer. Pars I. Fasc. I. Turici.—The present first fasciculus contains the *Carabidæ* and the commencement of the *Dytiscidæ*.

We are glad to learn that the Rev. Dr. Pye Smith's Congregational Lecture on the Relation between the Holy Scriptures and some parts of Geological Science is in the press.

PROCEEDINGS OF LEARNED SOCIETIES.

BRITISH ASSOCIATION.

August 26.—J. E. Gray, Esq., V.P., in the Chair.

Secretaries:—Mr. E. Forbes and Mr. Patterson.

The first paper read was by Mr. Lankester, on the Formation of Woody Tissue, the conclusions in which were opposed to the views, supported in this country by Dr. Lindley, of the formation of fibrous tissue by descent from the buds and leaves, and contained some in-

others; by Kunze.—On *Conyza chilensis*, Spreng, and *C. diversifolia*, Weinw.; by Weinmann.—Review of a century of Brazilian *Malpighiaceæ*; by Dr. Grisebach.—On Mexican Plants collected by Schiede, &c.; by Schlechtendal.

Plantes Cryptogames de France. Par J. B. H. Q. Desmazières.

Of this valuable work three Numbers, 18—20, have appeared since our last notice. It would take up too much room to give a list of the species, which amount to 150, contained in them; but it may truly be said that with every number the interest increases.

Deutschlands Kryptogamische Giftgewächse, &c. Von Dr. P. Phœbus. Berlin, 1838. 4to.

This is a continuation of Brandt and Ratzeburg's account of the poisonous plants of Germany. With the exception of the Fungi, the cryptogamic plants noticed as possessing deleterious qualities are confined to one or two species of *Equisetum* and *Lycopodium*. The poisonous fungi are admirably described, with remarkably full synonyms, and of many of the more common ones there are excellent figures, with a very correct analysis. There is a very complete account of Ergot beautifully illustrated. We recommend the work very highly to the notice of such as wish to become acquainted with dangerous Fungi, and to the general cryptogamic student. The price is very reasonable.

Fauna Coleopterorum Helvetica, auctore Oswaldo Heer. Pars I. Fasc. I. Turici.—The present first fasciculus contains the *Carabidæ* and the commencement of the *Dytiscidæ*.

We are glad to learn that the Rev. Dr. Pye Smith's Congregational Lecture on the Relation between the Holy Scriptures and some parts of Geological Science is in the press.

PROCEEDINGS OF LEARNED SOCIETIES.

BRITISH ASSOCIATION.

August 26.—J. E. Gray, Esq., V.P., in the Chair.

Secretaries:—Mr. E. Forbes and Mr. Patterson.

The first paper read was by Mr. Lankester, on the Formation of Woody Tissue, the conclusions in which were opposed to the views, supported in this country by Dr. Lindley, of the formation of fibrous tissue by descent from the buds and leaves, and contained some in-